

MATERIAL SAFETY DATA SHEET

Products: Jumbo Tex® Product Line, Fortify®, R-15, HWD-15, Aquabar “B” and Scribe-Rite® Black

Effective: September 12, 2005
Supercedes: February 2, 2002

Page 1 of 3

SECTION I

Company Name
Fortifiber Corporation

Emergency Telephone No.
508-222-3500

Address: 55 Starkey Ave., Attleboro, MA 02703

Chemical Name & Synonyms
N/A

Trade Name & Synonyms
JumboTex®
Two-Ply Jumbo Tex®
Jumbo Tex® HD 30 Minute
Two-Ply Jumbo Tex® HD 30 Minute
Super Jumbo Tex® 60 Minute
Two-Ply Super Jumbo Tex® 60 Minute
Fortify®
Aquabar® “B”
Scribe-Rite® Black
R-15
HWD-15

Chemical Family
Paper & Asphalt

Formula
N/A

SECTION II - HAZARDOUS INGREDIENTS

In the solid state the material is not considered a hazardous material as defined by 21CFR 1900.1210 (OSHA Hazards Communications Law) paragraph (b) (5) (iv). This product is supplied in compliance with TSCA reporting requirements.

SECTION III - PHYSICAL DATA

Boiling Point (°F.)
N/A

Specific Gravity (Water=1)
> 1.0

Vapor Pressure (mmHg.)
N/A

Percent, Volatile by Volume (%)
N/A

Vapor Density (Air=1)
N/A

Evaporation Rate(Butyl Acetate=1)
N/A

Solubility in Water: Negligible

Appearance & Odor: Brown to black colored paper having an asphalt odor

MATERIAL SAFETY DATA SHEET

Products: Jumbo Tex® Product Line, Fortify®, R-15, HWD-15, Aquabar “B” and Scribe-Rite® Black

Effective: September 12, 2005
Supercedes: February 2, 2002

Page 2 of 3

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point >450°F Method Cleveland Cup

Flammable Limits N/A LeI N/A/Vel N/A

Extinguishing Media: Water spray, CO₂ fog or foam, Dry Chemical

Special Fire Fighting Procedures: The asphalt saturated paper requires that this product be treated as a fuel oil fire.

Unusual Fire and Explosion Hazards: None

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value Not established

Route(s) of entry

Inhalation: N/A.

Skin: N/A

Ingestion: N/A

Emergency and First Aid Procedures: N/A

SECTION VI - REACTIVITY DATA

Stability: Stable X Unstable _____

Conditions to Avoid: Fire

Hazardous Polymerization: May Occur _____ Will not Occur X.

Hazardous Decomposition Products:

During combustion: Carbon monoxide and hydrogen sulfide fumes

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled: N/A

Waste Disposal Method: Incineration or landfill. Observe all federal, state and local laws concerning health and the environment.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: N/A

Ventilation: - Local Exhaust N/A

Mechanical N/A

Special N/A

Other N/A

Protective Gloves
To avoid paper cuts

Eye Protection
None

Other Protective Equipment
None

Work/Hygienic Practices
N/A

MATERIAL SAFETY DATA SHEET

Products: Jumbo Tex® Product Line, Fortify®, R-15, HWD-15, Aquabar “B” and Scribe-Rite® Black

Effective: September 12, 2005

Page 3 of 3

Supercedes: February 2, 2002

Precautions to be Taken in Handling and Storing

Other Precautions

Do not store near open flame.

N/A

Use reasonable care and caution in handling.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing

Other Precautions N/A

Do not store near open flame.

Use reasonable care and caution in handling.

SECTION X – REGULATORY

SARA / TITLE III

This product does not contain a toxic chemical for routine annual toxic chemical reporting under section 313 (40 CFR 372).

DISCLAIMER: The information provided herein is believed to be accurate but is not warranted to be whether it originated with Fortifiber Corporation or not. Much of the information contained in this Material Safety Data Sheet originates from suppliers: this information cannot be warranted by Fortifiber Corporation to be correct or appropriate for the recipient's intended use. Recipients are advised to confirm in advance of need that the information is current, applicable and suitable to their circumstances.
